

Prepared for:
Partnered Process LLC

402 Travis Ln Ste 64
Waukesha, WI USA 53189

1200mg CBD FS Distillate per 8oz Lotion Unscented

Batch ID or Lot Number: 230104002	Test: Potency	Reported: 12Jan2023	USDA License: N/A
Matrix: Concentrate	Test ID: T000232449	Started: 10Jan2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 10Jan2023	Status: N/A

Cannabinoids

	LOD (%)	LOQ (%)	Result (%)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.008	0.032	ND	ND	
Cannabichromenic Acid (CBCA)	0.008	0.029	ND	ND	
Cannabidiol (CBD)	0.036	0.088	0.600	6.00	
Cannabidiolic Acid (CBDA)	0.037	0.090	ND	ND	
Cannabidivarin (CBDV)	0.009	0.021	ND	ND	
Cannabidivarinic Acid (CBDVA)	0.015	0.037	ND	ND	
Cannabigerol (CBG)	0.005	0.018	<LOQ	<LOQ	
Cannabigerolic Acid (CBGA)	0.020	0.076	ND	ND	
Cannabinol (CBN)	0.006	0.024	ND	ND	
Cannabinolic Acid (CBNA)	0.013	0.052	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	0.023	0.091	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	0.021	0.082	ND	ND	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	0.019	0.073	ND	ND	
Tetrahydrocannabivarin (THCV)	0.004	0.017	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	0.017	0.064	ND	ND	
Total Cannabinoids			0.600	6.00	
Total Potential THC			ND	ND	
Total Potential CBD			0.600	6.00	

Final Approval



Karen Winternheimer
12Jan2023
03:05:00 PM MST

PREPARED BY / DATE



Sam Smith
12Jan2023
03:07:00 PM MST

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/8cab3559-ccd6-406b-916a-46e873280f7d>

Definitions

% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method). Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
8cab3559ccd6406b916a46e873280f7d.1