

Prepared for:
Partnered Process LLC

402 Travis Ln Ste 64
Waukesha, WI USA 53189

10mg Delta9 thc fs dist Cylinder

Batch ID or Lot Number: 230321002	Test: Potency	Reported: 29Mar2023	USDA License: N/A
Matrix: Unit	Test ID: T000239598	Started: 28Mar2023	Sampler ID: N/A
	Method(s): TM14 (HPLC-DAD)	Received: 27Mar2023	Status: N/A

Cannabinoids

	LOD (mg)	LOQ (mg)	Result (mg)	Result (mg/g)	Notes
Cannabichromene (CBC)	0.535	1.594	20.220	3.30	# of Servings = 1, Sample Weight=6.198g
Cannabichromenic Acid (CBCA)	0.490	1.458	ND	ND	
Cannabidiol (CBD)	1.354	4.154	138.940	22.40	
Cannabidiolic Acid (CBDA)	1.389	4.261	ND	ND	
Cannabidivarin (CBDV)	0.320	0.983	<LOQ	<LOQ	
Cannabidivarinic Acid (CBDVA)	0.579	1.777	ND	ND	
Cannabigerol (CBG)	0.304	0.905	170.240	27.50	
Cannabigerolic Acid (CBGA)	1.271	3.783	ND	ND	
Cannabinol (CBN)	0.397	1.181	ND	ND	
Cannabinolic Acid (CBNA)	0.867	2.581	ND	ND	
Delta 8-Tetrahydrocannabinol (Delta 8-THC)	1.514	4.507	ND	ND	
Delta 9-Tetrahydrocannabinol (Delta 9-THC)	1.375	4.093	12.900	2.10	
Delta 9-Tetrahydrocannabinolic Acid (THCA-A)	1.218	3.626	ND	ND	
Tetrahydrocannabivarin (THCV)	0.277	0.823	ND	ND	
Tetrahydrocannabivarinic Acid (THCVA)	1.075	3.199	ND	ND	
Total Cannabinoids			342.300	55.30	
Total Potential THC			12.900	2.10	
Total Potential CBD			138.940	22.40	

Final Approval



Karen Winternheimer
29Mar2023
03:54:00 PM MDT

PREPARED BY / DATE



Sam Smith
29Mar2023
03:55:00 PM MDT

APPROVED BY / DATE



<https://results.botanacor.com/api/v1/coas/uuid/3e10fe63-bf83-45c7-bd4a-99e2c3f13072>

Definitions
% = % (w/w) = Percent (weight of analyte / weight of product). ND = None Detected (defined by dynamic range of the method).
Total Potential Delta 9-THC or CBD is calculated to take into account the loss of a carboxyl group during decarboxylation step, using the following formulas: Total Potential Delta 9-THC = Delta 9-THC + (Delta 9-THCa *(0.877)) and Total CBD = CBD + (CBDA *(0.877)).

Testing results are based solely upon the sample submitted to SC Laboratories, Inc., in the condition it was received. SC Laboratories, Inc., warrants that all analytical work is conducted professionally in accordance with all applicable standard laboratory practices using validated methods. Data was generated using an unbroken chain of comparison to NIST traceable Reference Standards and Certified Reference Materials. This report may not be reproduced, except in full, without the written approval of SC Laboratories, Inc. ISO/IEC 17025:2017 Accredited by A2LA.



Cert #4329.02
3e10fe63bf8345c7bd4a99e2c3f13072.1